



THOMAS J. PASTUSZKA
CLERK

County of San Diego

HEARING BOARD, AIR POLLUTION CONTROL DISTRICT

1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471

TELEPHONE (619) 531-5777
FAX (619) 531-6098

AGENDA

SAN DIEGO COUNTY AIR POLLUTION CONTROL DISTRICT HEARING BOARD

County Administration Center, Room 310

Regular Meeting, Thursday, April 24, 2008

9:00 a.m.

9:00 a.m.

ROLL CALL

SWEARING OF WITNESSES BY CLERK

ADMINISTRATIVE ITEM:

- A. Approval of Minute Orders for March 27, 2008
- B. Review of a proposed "Increments of Progress" pertaining to Petition No. 4212

Petition No.

4216 AIR POLLUTION CONTROL DISTRICT, COUNTY OF SAN DIEGO: Requests Stipulated Order for Abatement (filed March 13, 2008) against SUTHERLIN CONTRACTING, INC., involving an un-permitted diesel engine used to power jackhammers in various locations in San Diego County. The District in this Petition seeks an Order for Abatement that acts as a variance from Rule 10(b) and requires Respondents to obtain a new, compliant diesel engine by the end of the variance period.

LAST MATTER OF BUSINESS:

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction but not as an item on today's Agenda. (Five minutes total will be allocated; each speaker's presentation may not exceed one minute and may not relate to pending litigation.)

ASSISTANCE FOR THE DISABLED:

Agendas and records are available in alternative formats upon request. Contact the Clerk's office at **(619) 531-5777 (voice) or (619) 531-4803 (TTY)**. Assistive Listening Devices (ALDs) are available from the Clerk of the Board in Room 402 prior to the meeting, and are to be returned at the end of the meeting. Individuals requiring sign language interpreters should contact the American with Disabilities Coordinator at **(619) 531-5205**, in advance of the meeting so that arrangements may be made. An area in the front of the chamber is designated for individuals requiring the use of wheelchair or other accessible devices.